

MacDonald Ranches Performance Power 2021 Sale

Ultrasound Scan Data

Lot #	Tag	Tattoo	Birthdate	Reg.		Rump Fat	Rib Fat	Ribeye	Ribeye	REA Ratio	IMF	IMF (ADJ)	IMF Ratio
				Number	Weight	Thickness	Thickness	Area	Area (ADJ)				
1	8066	20H	01/28/2020	P741235	1130	0.21	0.23	16.2	15.84	113	1.22	1.06	47
2	277U	119H	02/14/2020	P740957	1245	0.27	0.24	15.8	15.70	112	1.14	1.10	49
3	24D	209H	02/23/2020	P740954	1095	0.29	0.23	14.6	14.67	105	1.57	1.59	71
4	9343	239H	02/26/2020	P740949	1145	0.31	0.22	14.3	14.34	102	1.93	1.97	88
5	E358	359H	03/12/2020	P740944	995	0.31	0.25	13.1	13.39	96	2.14	2.29	102
6	B72	380H	03/16/2020	P741273	1120	0.31	0.28	12.7	13.04	93	2.26	2.43	108
7	8280	69H	02/04/2020	P740941	1035	0.21	0.24	13.3	13.03	93	2.16	2.05	91
8	8377	64H	02/03/2020	P741293	1100	0.27	0.17	14.4	14.18	101	1.87	1.75	78
9	8255	33H	01/30/2020	TP?11257	1150	0.15	0.24	14.8	14.50	104	2.18	2.03	90
10	8359	70H	02/04/2020	TP?11259	1075	0.23	0.27	13.4	13.18	94	2.18	2.07	92
11	8221	78H	02/05/2020	TP?11260	1110	0.29	0.32	13.3	13.12	94	3.69	3.58	160
12	8126	88H	02/05/2020	TP?11262	1130	0.17	0.19	13.3	13.06	93	2.06	1.96	87
13	8308	65H	02/03/2020	P740906	1160	0.23	0.19	15.0	14.74	105	1.70	1.58	70
14	2105	171H	02/20/2020	P740916	1120	0.37	0.24	12.5	12.52	89	2.16	2.16	96
15	1276	478H	03/25/2020	P740908	900	0.10	0.13	13.8	14.28	102	1.76	2.00	89
16	83D	163H	02/19/2020	P741362	1195	0.19	0.26	13.1	13.06	93	2.47	2.46	110
17	2462	484H	03/26/2020	P741260	955	0.31	0.23	13.4	13.86	99	2.47	2.72	121
18	B181	257H	02/29/2020	P741147	1200	0.25	0.24	14.6	14.68	105	2.48	2.54	113
20	E568	354H	03/11/2020	P741139	1005	0.25	0.21	14.6	14.85	106	1.93	2.07	92
22	8394	368H	03/14/2020	P741134	965	0.19	0.24	13.9	14.22	102	2.40	2.56	114
23	237A	116H	02/13/2020	P741151	1265	0.35	0.32	15.3	15.16	108	3.44	3.39	151
24	B274	342H	03/10/2020	P741142	1265	0.21	0.28	14.8	15.03	107	2.11	2.24	100
25	6344	489H	03/27/2020	P740996	1300	0.19	0.19	14.9	too young	to adjust	1.87	too young	to adjust
26	B202	555H	04/10/2020	P740991	1040	0.19	0.15	12.7	too young	to adjust	1.90	too young	to adjust
29	8144	79H	02/05/2020	P740890	1085	0.21	0.26	13.1	12.88	92	2.17	2.06	92
30	8263	92H	02/06/2020	P740888	1215	0.29	0.30	14.7	14.53	104	2.41	2.31	103
31	8185	98H	02/08/2020	P740887	1055	0.19	0.17	14.5	14.35	103	2.02	1.94	86
32	129D	181H	02/20/2020	P740901	1095	0.21	0.24	15.0	15.03	107	2.14	2.14	95
33	E312	311H	03/07/2020	P?11247	1065	0.31	0.34	13.1	13.29	95	2.08	2.19	98
34	E373	350H	03/10/2020	P741258	1155	0.25	0.21	13.8	14.10	101	2.75	2.88	128
35	5211	397H	03/18/2020	P740896	1040	0.25	0.21	14.1	14.43	103	1.92	2.11	94
36	8543	32H	01/30/2020	P741257	1265	0.21	0.27	13.7	13.37	96	2.16	2.01	90
37	2033	240H	02/26/2020	P740899	1210	0.31	0.26	13.8	13.89	99	2.13	2.17	97
38	8502	106H	02/11/2020	TP741388	1245	0.21	0.17	16.1	16.00	114	1.45	1.39	62
39	8215	107H	02/11/2020	TP?11264	1095	0.19	0.19	12.7	12.55	90	2.03	1.97	88
40	489A	225H	02/24/2020	TP741387	1095	0.15	0.19	15.0	15.03	107	1.64	1.67	74
41	5353	500H	03/29/2020	P741190	995	0.21	0.24	13.2	too young	to adjust	1.49	too young	to adjust
43	5552	184H	02/21/2020	P741348	1140	0.29	0.26	12.7	12.74	91	1.83	1.84	82
44	383X	183H	02/20/2020	P741020	1125	0.17	0.23	11.7	11.70	84	2.28	2.28	102
45	439A	243H	02/27/2020	P741017	1270	0.39	0.28	13.6	13.74	98	2.25	2.30	102
46	B271	539H	04/05/2020	P741305	960	0.21	0.20	13.4	too young	to adjust	1.63	too young	to adjust
47	8516	46H	02/01/2020	TP741240	1245	0.27	0.19	14.6	14.32	102	1.93	1.80	80
48	317D	123H	02/15/2020	TP741242	1090	0.33	0.21	12.5	12.46	89	1.96	1.92	86
50	5025	139H	02/17/2020	TP741359	1150	0.27	0.26	12.9	12.81	92	2.76	2.74	122
51	465A	158H	02/18/2020	TP741360	1115	0.25	0.23	15.5	15.46	110	1.97	1.96	87
52	226A	189H	02/21/2020	TP741372	1245	0.27	0.22	15.5	15.53	111	2.32	2.33	104
53	8483	77H	02/05/2020	TP741377	1120	0.19	0.25	13.5	13.31	95	2.36	2.26	101
54	E106	372H	03/15/2020	TP741378	1085	0.25	0.24	13.0	13.31	95	2.12	2.29	102
55	5398	422H	03/20/2020	TP741380	1185	0.23	0.25	13.5	13.88	99	1.72	1.92	86
56	E172	326H	03/07/2020	P741318	1165	0.31	0.23	13.1	13.28	95	2.12	2.23	99
57	B364	337H	03/09/2020	P741317	1090	0.21	0.25	12.8	13.07	93	2.41	2.54	113

MacDonald Ranches Performance Power 2021 Sale

Ultrasound Scan Data

Lot #	Tag	Tattoo	Birthdate	Reg. Number	Weight	Rump Fat Thickness	Rib Fat Thickness	Ribeye Area	Ribeye Area (ADJ)	REA Ratio	IMF	IMF (ADJ)	IMF Ratio
58	8022	99H	02/08/2020	P741049	1195	0.21	0.26	14.4	14.23	102	1.68	1.60	71
59	8085	103H	02/10/2020	P741092	1040	0.17	0.15	15.6	15.44	110	1.54	1.47	66
60	198U	109H	02/12/2020	P741094	1195	0.37	0.32	15.0	14.87	106	2.37	2.31	103
61	8048	197H	02/22/2020	P741088	1080	0.27	0.22	14.7	14.76	105	1.47	1.48	66
62	E405	298H	03/05/2020	P741080	1085	0.35	0.36	14.9	15.11	108	1.93	2.03	90
63	E316	304H	03/06/2020	P741079	1100	0.21	0.24	13.2	13.37	96	2.15	2.26	101
64	E585	325H	03/07/2020	P741077	1160	0.33	0.35	15.0	15.25	109	1.89	2.00	89
65	E562	327H	03/07/2020	P741076	1035	0.23	0.24	13.5	13.68	98	2.05	2.16	96
66	1386	352H	03/11/2020	P741326	1090	0.35	0.26	15.2	15.44	110	2.07	2.21	98
67	E557	378H	03/16/2020	P741073	1005	0.19	0.22	14.3	14.63	105	1.51	1.68	75
68	1302	388H	03/17/2020	P741070	1095	0.31	0.23	14.5	14.89	106	1.50	1.68	75
71	5088	198H	02/22/2020	P741323	1135	0.29	0.23	13.8	13.86	99	1.75	1.76	78
73	5200	182H	02/20/2020	P740986	1170	0.23	0.13	14.1	14.08	101	2.38	2.38	106
74	5168	202H	02/23/2020	P740985	1180	0.21	0.22	13.0	13.00	93	2.10	2.12	94
75	E107	294H	03/04/2020	P740982	1055	0.27	0.24	13.1	13.29	95	2.08	2.17	97
76	E380	324H	03/07/2020	P741290	1125	0.23	0.23	16.2	16.46	118	1.79	1.90	85
77	2021	338H	03/09/2020	P740980	1165	0.31	0.24	12.7	12.99	93	1.73	1.86	83
78	175D	385H	03/17/2020	P740979	1005	0.31	0.23	13.7	14.03	100	1.81	1.99	89
79	5543	492H	03/27/2020	P740975	1130	0.35	0.25	12.9	too young	to adjust	2.00	too young	to adjust
80	8205	27H	01/29/2020	P741117	1195	0.33	0.30	14.9	14.60	104	2.98	2.83	126
82	394A	206H	02/23/2020	P741121	1195	0.33	0.43	14.5	14.55	104	2.07	2.09	93
83	E111	259H	02/29/2020	P741231	1140	0.21	0.30	12.1	12.20	87	2.10	2.16	96
84	5303	279H	03/03/2020	P741118	1185	0.27	0.28	14.3	14.47	103	2.48	2.56	114
85	E433	320H	03/07/2020	P741114	1110	0.31	0.28	13.4	13.63	97	2.23	2.34	104
87	8209	3H	01/24/2020	P740873	1255	0.29	0.32	12.2	11.85	85	1.91	1.72	77
88	8167	36H	01/31/2020	P740875	1040	0.21	0.20	13.4	13.09	94	2.00	1.86	83
89	180U	389H	03/18/2020	P740874	1085	0.25	0.17	12.7	13.12	94	1.86	2.05	91
90	509D	201H	02/23/2020	P741178	1160	0.17	0.20	16.4	16.47	118	2.11	2.13	95
91	E472	307H	03/06/2020	P741175	1140	0.23	0.24	13.9	14.12	101	2.16	2.26	101
92	E37	271H	03/02/2020	P741176	1180	0.19	0.20	14.7	14.83	106	2.10	2.18	97
94	2207	208H	02/23/2020	P740863	1035	0.15	0.13	14.3	14.30	102	1.65	1.67	74
96	8091	30H	01/30/2020	P740930	1275	0.19	0.22	14.6	14.30	102	2.88	2.73	122
97	8250	73H	02/04/2020	P740928	1305	0.23	0.26	15.8	15.61	112	1.96	1.85	82
98	8220	97H	02/07/2020	P740926	1260	0.29	0.34	13.8	13.59	97	2.62	2.53	113
99	8108	137H	02/17/2020	P740938	1200	0.39	0.26	13.3	13.27	95	2.83	2.81	125
100	398A	167H	02/19/2020	P740936	1350	0.33	0.30	11.1	11.09	79	2.42	2.41	107
101	287D	203H	02/23/2020	P740934	1115	0.29	0.24	13.3	13.30	95	2.50	2.52	112
102	1072	250H	02/28/2020	P740932	1275	0.31	0.25	13.1	13.21	94	2.00	2.06	92
103	B119	412H	03/19/2020	P741268	1065	0.25	0.28	13.8	14.18	101	2.19	2.39	107
104	5312	410H	03/19/2020	P741269	1125	0.19	0.22	13.4	13.80	99	1.81	2.01	90
105	8225	100H	02/08/2020	P741267	1200	0.21	0.19	13.6	13.40	96	1.89	1.81	81
106	E553	296H	03/05/2020	P741266	1150	0.27	0.30	13.2	13.38	96	2.87	2.97	132
107	5110	211H	02/23/2020	P741312	1390	0.23	0.32	16.6	16.59	119	2.29	2.31	103
108	60A	391H	03/17/2020	P741308	1175	0.37	0.40	12.3	12.68	91	2.15	2.33	104
110	5075	508H	03/31/2020	P741313	1080	0.21	0.24	14.8	too young	to adjust	1.87	too young	to adjust
111	171X	469H	03/24/2020	P741030	1110	0.23	0.28	11.1	11.56	83	2.04	2.27	101
112	1440	503H	03/29/2020	P741028	1090	0.19	0.24	13.5	too young	to adjust	1.86	too young	to adjust
113	5126	563H	04/14/2020	P741311	990	0.17	0.22	12.9	too young	to adjust	1.89	too young	to adjust
114	521D	177H	02/20/2020	P740971	1200	0.27	0.28	14.6	14.60	104	3.75	3.75	167
115	B133	193H	02/22/2020	P741283	1275	0.37	0.38	14.1	14.17	101	2.30	2.31	103
116	E16	287H	03/03/2020	P740968	1295	0.27	0.38	14.8	14.97	107	2.70	2.78	124

MacDonald Ranches Performance Power 2021 Sale

Ultrasound Scan Data

Lot #	Tag	Tattoo	Birthdate	Reg. Number	Weight	Rump Fat Thickness	Rib Fat Thickness	Ribeye Area	Ribeye Area (ADJ)	REA Ratio	IMF	IMF (ADJ)	IMF Ratio
117	2047	142H	02/17/2020	P741302	1275	0.39	0.27	13.5	13.43	96	2.65	2.63	117
118	8365	143H	02/17/2020	P741301	1170	0.44	0.30	14.6	14.51	104	2.56	2.54	113
119	E101	251H	02/28/2020	P741010	1290	0.33	0.35	13.0	13.15	94	3.10	3.16	141
120	E97	289H	03/04/2020	P741008	1190	0.35	0.24	13.6	13.76	98	2.49	2.58	115
121	E118	317H	03/07/2020	S741007	1045	0.17	0.28	12.4	12.65	90	2.50	2.61	116
122	8189	102H	02/10/2020	P740921	1220	0.17	0.22	15.9	15.77	113	2.00	1.93	86
123	7238	517H	04/01/2020	P741344	1095	0.21	0.21	13.3	too young	to adjust	2.00	too young	to adjust
124	2065	433H	03/21/2020	P741271	1155	0.17	0.23	14.7	15.14	108	1.78	1.99	89
125	8026	60H	02/02/2020	P740988	1210	0.29	0.23	16.0	15.79	113	2.17	2.04	91
126	8069	67H	02/03/2020	P741292	1220	0.44	0.33	13.7	13.44	96	2.68	2.56	114
127	450A	266H	03/01/2020	P741146	1080	0.27	0.23	12.3	12.39	89	2.07	2.14	95
128	8503	310H	03/07/2020	P741143	1105	0.25	0.21	14.3	14.54	104	2.19	2.30	102
129	8015	405H	03/19/2020	P741132	965	0.31	0.21	13.2	13.54	97	2.79	2.99	133
130	7171	443H	03/22/2020	P741129	1055	0.23	0.22	11.8	12.27	88	3.07	3.29	147
131	8193	48H	02/01/2020	P740872	1235	0.21	0.28	14.5	14.19	101	2.19	2.06	92
132	8313	84H	02/05/2020	P740879	1155	0.19	0.26	14.8	14.63	105	2.17	2.06	92
133	E206	85H	02/05/2020	P740878	1105	0.21	0.30	13.6	13.43	96	1.98	1.88	84
134	E325	219H	02/24/2020	P740876	1175	0.27	0.28	13.6	13.66	98	1.71	1.74	78
135	9177	160H	02/19/2020	P741319	1120	0.23	0.17	13.8	13.76	98	2.29	2.28	102
136	E385	329H	03/08/2020	P741075	1115	0.35	0.23	14.1	14.34	102	1.88	2.00	89
137	8450	349H	03/10/2020	P741173	1110	0.21	0.24	13.7	14.01	100	1.89	2.02	90
138	288X	199H	02/22/2020	P741252	1160	0.31	0.28	14.8	14.78	106	1.78	1.79	80
139	471D	237H	02/26/2020	P740882	1100	0.25	0.17	11.8	11.91	85	1.85	1.89	84
140	B56	360H	03/12/2020	P741250	1120	0.25	0.26	14.6	14.88	106	2.07	2.22	99
141	E485	315H	03/07/2020	P741299	1150	0.44	0.34	13.7	13.95	100	3.47	3.58	160
142	E93	339H	03/09/2020	P741001	1135	0.23	0.22	13.8	14.05	100	1.60	1.73	77
143	8260	129H	02/15/2020	P741300	1250	0.39	0.34	13.0	12.97	93	2.17	2.13	95
144	B78	253H	02/28/2020	P741002	1295	0.33	0.26	14.4	14.54	104	2.63	2.69	120
145	E129	425H	03/20/2020	P741367	1035	0.35	0.30	12.1	12.53	90	2.34	2.54	113
146	E414	511H	03/31/2020	P741043	950	0.23	0.19	12.8	too young	to adjust	1.80	too young	to adjust
147	23D	207H	02/23/2020	P741247	1105	0.29	0.34	13.8	13.88	99	2.03	2.05	91
148	15D	456H	03/23/2020	P741246	1095	0.33	0.38	15.1	15.50	111	2.32	2.54	113
149	5371	195H	02/22/2020	P740885	1245	0.17	0.25	14.3	14.29	102	2.36	2.37	106
150	382D	399H	03/18/2020	P741232	1160	0.33	0.32	14.3	14.65	105	2.08	2.27	101
151	8335	23H	01/29/2020	P741352	1260	0.25	0.26	14.1	13.74	98	2.16	2.01	90
152	8404	24H	01/29/2020	P741207	1360	0.21	0.32	13.4	13.08	93	2.23	2.08	93
153	8082	173H	02/20/2020	P741211	1235	0.17	0.26	15.6	15.58	111	2.32	2.32	103
154	5453	238H	02/26/2020	P741208	1305	0.31	0.36	15.1	15.14	108	2.65	2.69	120
155	8431	76H	02/05/2020	P740960	1160	0.35	0.20	13.1	12.86	92	3.04	2.94	131
156	217A	145H	02/17/2020	P741361	1155	0.35	0.37	15.0	14.93	107	4.04	4.02	179
157	365D	247H	02/27/2020	P740962	1140	0.21	0.30	13.3	13.37	96	2.23	2.28	102
158	306D	125H	02/15/2020	P741379	1115	0.27	0.28	13.0	12.90	92	1.98	1.94	86
159	8385	82H	02/05/2020	P741219	1280	0.31	0.37	13.8	13.60	97	3.37	3.26	145
160	8044	83H	02/05/2020	P741218	1335	0.39	0.26	14.4	14.22	102	2.54	2.44	109
161	5155	191H	02/22/2020	P741356	1155	0.33	0.28	13.2	13.19	94	2.73	2.74	122
162	E74	318H	03/07/2020	P741223	1170	0.35	0.28	14.5	14.71	105	2.24	2.35	105
163	8559	74H	02/04/2020	P741213	1355	0.19	0.22	17.0	16.76	120	2.25	2.14	95
164	6338	117H	02/13/2020	P741216	1165	0.27	0.30	15.0	14.86	106	2.53	2.48	111
165	121U	363H	03/12/2020	P741214	1080	0.21	0.17	13.2	13.50	96	1.93	2.08	93
166	5103	452H	03/23/2020	P741349	1170	0.33	0.28	13.1	13.54	97	2.20	2.42	108
167	8397	40H	01/31/2020	P741228	1235	0.23	0.23	13.5	13.26	95	2.53	2.39	107

MacDonald Ranches Performance Power 2021 Sale Ultrasound Scan Data

Lot #	Tag	Tattoo	Birthdate	Reg. Number	Weight	Rump Fat Thickness	Rib Fat Thickness	Ribeye Area	Ribeye Area (ADJ)	REA Ratio	IMF	IMF (ADJ)	IMF Ratio
168	8507	47H	02/01/2020	P741226	1145	0.31	0.32	13.6	13.35	95	2.14	2.01	90
169	E191	272H	03/02/2020	P741357	1230	0.25	0.27	14.2	14.39	103	1.83	1.91	85
170	E400	283H	03/03/2020	P741358	1225	0.27	0.30	14.0	14.13	101	2.61	2.69	120
171	1165	335H	03/09/2020	P740869	1060	0.23	0.28	12.3	12.55	90	2.16	2.29	102
Averages					1150	0.26	0.25	13.92	14.00		2.19	2.24	

Please note: Salers and Optimizer bulls are ratioed together.

ANGUS BULLS

ANGUS BULLS - Please note: Angus bulls are ratioed separately from Salers and Optimizer bulls.													
173	8119	87H	2/25/2020	19968214	1180	0.35	0.34	12.8	12.7	96	2.79	2.73	86
174	5329	277H	3/3/2020	19968303	1285	0.27	0.28	16.1	16.3	107	2.05	2.10	77
175	1011	204H	2/23/2020	19968608	1325	0.41	0.42	13.9	14.1	93	3.72	3.73	136
176	364D	112H	2/12/2020	19968613	1350	0.39	0.37	13.8	13.7	104	3.68	3.65	114
177	B272	471H	3/24/2020	19968264	1230	0.27	0.33	12.8	13.5	89	3.05	3.18	116
178	B407	151H	2/18/2020	19968515	1150	0.29	0.15	15.1	15.1	100	2.56	2.55	100
Averages					1253	0.33	0.32	14.1	14.2		2.98	2.99	